



|                        |                         |                               |             |
|------------------------|-------------------------|-------------------------------|-------------|
| <b>EAN:</b>            | 4013288156136           | <b>Size:</b>                  | 69x65x12 mm |
| <b>Part number:</b>    | 05056473001             | <b>Weight:</b>                | 76 g        |
| <b>Article number:</b> | Bit-Check 6 Universal 2 | <b>Country of origin:</b>     | CZ          |
|                        |                         | <b>Customs tariff number:</b> | 82079030    |

- Upright positionable, multi-component Bit-Check
- The Torsion design absorbs torque peaks
- Tough viscous bits for universal use
- Bit-Check plastic material ensures robustness and durability
- Prevents premature breakage of the drive tip

6 50 mm-long Wera bits tidily arranged in a minimum of space in a practical Bit-Check. The tough viscous bits are suitable for universal use. In the case of the Torsion bits (TZ), torque peaks are additionally absorbed in the Torsion zone. This prevents premature wear and enhances the service life.

## Web link

Wera - Bit-Check 6 Universal 2  
05056473001 - 4013288156136

Wera Werkzeuge GmbH  
Korzerter Straße 21-25  
D-42349 Wuppertal  
Tel: +49 (0)2 02 / 40 45-0  
E-Mail: [info@wera.de](mailto:info@wera.de)

#### At the workplace



The Bit-Checks can be positioned upright at the workplace so the tool is always quickly to hand.

#### TZ-Bits



TZ-Bits are tough bits with a torsion zone. Torsion bits absorb the damaging peak torque loads in the torsion zone. This prevents premature wear and enhances the service life of the bits.

#### Tough bits



Tough Wera bits prevent the tip from breaking prematurely. Z-bits usually are the bit for universal screwdriving applications.

#### Web link

Wera - Bit-Check 6 Universal 2  
05056473001 - 4013288156136

Wera Werkzeuge GmbH  
Korzerter Straße 21-25  
D-42349 Wuppertal  
Tel: +49 (0)2 02 / 40 45-0  
E-Mail: [info@wera.de](mailto:info@wera.de)

Set contents:

851/4 TZ bits, PH 2 x 50 mm



05059810001

1x PH 2 x 50 mm



855/4 TZ bits, PZ 1 x 50 mm



05060005001

1x PZ 1 x 50 mm

05060010001

1x PZ 2 x 50 mm



867/4 Z TORX® bits, TX 15 x 50 mm



05060133001

1x TX 15 x 50 mm

05060134001

1x TX 20 x 50 mm

05060135001

1x TX 25 x 50 mm



Web link